


Exam board: OCR

Physics A level Transition booklet



Course leader	Miss S Kennedy	kennedys@ashlwn.org.uk
Teaching team	Mr I hardiman	hardimani@ashlawn.org.uk
	Mr A Hutchinson	HutchinsonA@ashlawn.org.uk

This booklet will assist you in getting better prepared to study A Level Physics at Ashlawn school. You must work through the booklet and self assess to identify the topics/areas for improvement. Write a brief comment on your progress in the comments box as you complete each topic. This help will inform you with what you must revise prior to beginning the AS Physics course. Bring your copy of the completed booklet to your first A Level Physics lesson along with your prepared presentation.

The A Level course

Content Overview	Assessment O	verview
Content is split into six teaching modules: • Module 1 – Development of practical skills in physics	Modelling physics (01) 100 marks 2 hours 15 minutes written paper	37% of total A level
 Module 2 – Foundations of physics Module 3 – Forces and motion Module 4 – Electrons, waves and photons 	Exploring physics (02) 100 marks 2 hours 15 minutes written paper	37% of total A level
 Module 5 – Newtonian world and astrophysics Module 6 – Particles and medical physics Component 01 assesses content from modules 1, 2, 3 and 5. 	Unified physics (03) 70 marks 1 hour 30 minutes written paper	26% of total A level
Component 02 assesses content from modules 1, 2, 4 and 6. Component 03 assesses content from all modules (1 to 6).	Practical Endorsement in physics (04) (non exam assessment)	Reported separately (see Section 5g)

You can find the full specification by following this link

https://www.ocr.org.uk/Images/171726-specification-accredited-a-level-gce-physics-a-h556.pdf

Year 12 induction summer homework

Task 1:

Your task is to plan and prepare a 5 minute presentation on Electricity. An accompanying powerpoint/google slide is necessary.

Electricity

Must include the following information:

- What is potential difference?
- What is current?
- What is resistance?
- How are these concepts related?
- How do these concepts behave in series and parallel circuits?
- Are there any models/analogies which can be used to highlight your point.

The presentation should be pitched at the level of an A Level student and should therefore be as detailed and accurate as possible. You may also wish to include any information which you feel is relevant but not mentioned above.

The aim of this homework is so that your future teacher can identify misconceptions early and to ensure that students have a firm understanding of a key concept before starting the course.

A selection of presentations will be made to the class in the first week of term.

If you have any questions about this homework, please email kennedys@ashlawn.org.uk

Task 2: complete the following topics in the booklet

Topic	Title	Completed (date)	Comments. Do you need more practice? Are you confident with this area? What areas of weakness have you identified?
1	Prefixes and units		
2	Significant Figures		
3	Rearranging Equations		

AS Physics

Skills

1. Prefixes and units

In Physics we have to deal with quantities from the very large to the very small. A prefix is something that goes in front of a unit and acts as a multiplier. This sheet will give you practice at converting figures between prefixes.

Symbol	Name	What it means		How to	convert
Р	peta	10 ¹⁵	1000000000000000		↓ x1000
Т	tera	10 ¹²	100000000000	↑÷1000	↓ x1000
G	giga	10 ⁹	100000000	↑÷1000	↓ x1000
М	mega	10 ⁶	1000000	↑÷1000	↓ x1000
k	kilo	10 ³	1000	↑÷1000	↓ x1000
			1	↑÷1000	↓ x1000
m	milli	10 ⁻³	0.001	↑÷1000	↓ x1000
μ	micro	10 ⁻⁶	0.000001	↑÷1000	↓ x1000
n	nano	10-9	0.00000001	↑÷1000	↓ x1000
р	pico	10 ⁻¹²	0.00000000001	↑÷1000	↓ x1000
f	femto	10 ⁻¹⁵	0.000000000000001	↑ ÷ 1000	

Convert the figures into the units required. units.

6 km	=	6 x 10 ³	m
54 MN	=		N
0.086 μV	=		V
753 GPa	=		Pa

Convert these figures to suitable prefixed

640	GV	=	640 x 10 ⁹ V
		=	0.5 x 10 ⁻⁶ A
		=	93.09 x 10 ⁹ m
	kN	=	32 x 10 ⁵ N

Convert the figures into the prefixes required.

s	ms	μs	ns	ps
0.00045	0.45	450	450 000 or 450 x10³	450 x 10 ⁶
0.000000789				
0.000 000 000 64				

mm	m	km	μm	Mm
1287360				
295				

AS Physics

Skills

2. Significant Figures

- 1. All non-zero numbers ARE significant. The number 33.2 has THREE significant figures because all of the digits present are non-zero.
- 2. Zeros between two non-zero digits ARE significant. 2051 has FOUR significant figures. The zero is between 2 and 5
- 3. **Leading zeros are NOT significant.** They're nothing more than "place holders." The number 0.54 has only TWO significant figures. 0.0032 also has TWO significant figures. All of the zeros are leading.
- 4. Trailing zeros when a decimal is shown ARE significant. There are FOUR significant figures in 92.00 and there are FOUR significant figures in 230.0.
- 5. **Trailing zeros in a whole number with no decimal shown are NOT significant.** Writing just "540" indicates that the zero is NOT significant, and there are only TWO significant figures in this value.

(THIS CAN CAUSE PROBLEMS!!! WE SHOULD USE POINT 8 FOR CLARITY, BUT OFTEN DON'T - 2/3 significant figures is accepted in IAL final answers - eg 500/260 = 1.9 to 2 sf. Better $5.0 \times 10^2 / 2.6 \times 10^2 = 1.9$)

8. For a number in scientific notation: N x 10^x , all digits comprising N ARE significant by the first 5 rules; "10" and "x" are NOT significant. 5.02×10^4 has THREE significant figures.

For each value state how many significant figures it is stated to.

Value	Sig Figs	Value	Sig Figs	Value	Sig Figs	Value	Sig Figs
2		1066		1800.45		0.070	
2.0		82.42		2.483 x 10 ⁴		69324.8	
500		750000		0.0006		0.0063	
0.136		310		5906.4291		9.81 x 10 ⁴	
0.0300		3.10 x 10 ⁴		200000		40000.00	
54.1		3.1 x 10 ²		12.711		0.0004 x 10 ⁴	

When adding or subtracting numbers

Round the final answer to the least precise number of decimal places in the original values.

Eg. 0.88 + 10.2 - 5.776 (= 5.304) = 5.3 (to 1d.p., since 10.2 only contains 1 decimal place)

(Khan Academy- Addition/ subtraction with sig fig excellent video- make sure you watch .)

Add the values below then write the answer to the appropriate number of significant figures

Value 1	Value 2	Value 3	Total Value	Total to correct sig figs
51.4	1.67	3.23		
7146	-32.54	12.8		
20.8	18.72	0.851		
1.4693	10.18	-1.062		
9.07	0.56	3.14		
739762	26017	2.058		
8.15	0.002	106		
152	0.8	0.55		

When multiplying or dividing numbers

Round the final answer to the **least** number of significant figures found in the initial values.

E.g. $4.02 \times 3.1 \mid 0.114 = (109.315...) = 110 \text{ (to 2s.f. as 3.1 only has 2 significant figures.}$

Multiply the values below then write the answer to the appropriate number of significant figures

Value 1	Value 2	Total Value	Total to correct sig figs
0.91	1.23		
8.764	7.63		
2.6	31.7		
937	40.01		
0.722	634.23		

Divide value 1 by value 2 then write the answer to the appropriate number of significant figures

Value 1	Value 2	Total Value	Total to correct sig figs		
5.3	748				
3781	6.50				
91 x 10 ²	180				
5.56	22 x 10 ⁻³				

When calculating a mean

- 1) Remove any **obvious** anomalies (circle these in the table)
- 2) Calculate the mean with the remaining values, and record this to the **least** number of decimal places in the included values

E.g. Average 8.0, 10.00 and 145.60:

- 1) Remove 145.60
- 2) The average of 8.0 and 10.00 is 9.0 (to 1 d.p.)

Calculate the mean of the values below then write the answer to the appropriate number of significant figures

Value 1	Value 2	Value 3	Mean Value	Mean to correct sig figs
1	1	2		
435	299	437		
5.00	6.0	29.50		
5.038	4.925	4.900		
720.00	728.0	725		
0.00040	0.00039	0.000380		
31	30.314	29.7		

AS Physics

Skills

3. Rearranging Equations

Rearrange each equation into the subject shown in the middle column.

Equation		Rearrange Equation
V = IR	R	
$I = \frac{Q}{t}$	t	
$\rho = \frac{RA}{l}$	A	
$\varepsilon = V + Ir$	r	
$s = \frac{(u+v)}{2}t$	и	

Equation		Rearrange Equation
$hf = \phi + E_K$	f	
$E_P = mgh$	g	
$E = \frac{1}{2}Fe$	F	
$v^2 = u^2 + 2as$	и	
$T = 2\pi \sqrt{\frac{m}{k}}$	m	